Kansas Administrative Regulations

Department of Health and Environment

Article 29.—Solid Waste Management—Part 9. Standards for the Management of Household Hazardous Waste.

28-29-1104. Satellite HHW facilities.

(a) "Satellite HHW facility" shall mean any permanent HHW collection site, located away from the central collection center, that is part of a permitted HHW program.

(b) Each person who owns or operates a satellite HHW facility shall meet all of the following requirements:

(1) The HHW satellite facility shall be described in the approved operating plan of the permitted HHW facility or facilities with which the satellite HHW facility is associated.

(2) The owner or operator of the satellite HHW facility shall submit an operating plan, a facility drawing, and a description of any HHW storage cabinets to the department.

(3) A copy of each bill of lading used for transporting HHW to the central collection center shall be maintained at the satellite HHW facility for a period of three years.

(c) Each person who owns or operates a satellite HHW facility using storage cabinets shall meet all of the following requirements:

(1) A minimum of two and a maximum of four HHW storage cabinets, including at least one for flammables and one for corrosives, shall be used at each satellite HHW facility.

(2) Each HHW storage cabinet shall be designed for the HHW stored in it.

(3) Each HHW storage cabinet shall have a storage capacity of not more than 120 gallons.

(4) All HHW shall be properly segregated and stored within the appropriate storage cabinets by the end of the working day.

(5) If HHW is present, the facility owner or operator shall inspect all HHW storage areas weekly to assess waste volume and container integrity, and shall document these inspections in a log that is dated and either signed or initialed by the person who conducted the inspection.

(6) Not more than one week after the storage capacity has been reached, the owner or operator shall make arrangements to remove the HHW stored in HHW storage cabinets. HHW stored in HHW storage cabinets shall be removed at least once a year. (Authorized by and implementing K.S.A. 1999 Supp. 65-3406 and 65-3460; effective June 16, 2000.)

***** Authenticated Kansas Administrative Regulation *****