

Kansas Administrative Regulations

Department of Health and Environment

Article 19.—Ambient Air Quality Standards and Air Pollution Control

28-19-41. Restriction of emissions.

Subject to the provisions of regulations 28-19-9 and 28-19-11: (A) No person may cause or permit the emission of particulate matter from any chimney stack or vent of any incinerator in excess of the following:

(1) Incinerators with a waste burning capacity of less than 200 pounds per hour: 0.3 grains of particulate matter per standard dry cubic foot of exhaust gas, corrected to twelve percent (12%) carbon dioxide.

(2) Incinerators with a waste burning capacity of 200 to 20,000 pounds of waste per hour: 0.2 grains of particulate matter per standard dry cubic foot of exhaust gas, corrected to twelve percent (12%) carbon dioxide.

(3) Incinerators with a waste burning capacity in excess of 20,000 pounds of waste per hour: 0.1 grains of particulate matter per standard dry cubic foot of exhaust gas, corrected to twelve percent (12%) carbon dioxide.

(B) No person may cause or permit the emission of visible contaminants from any incinerator of an opacity equal to or greater than 20 percent opacity.

(Authorized by K.S.A. 65-3005, 65-3006, 65-3010; effective Jan. 1, 1971; amended, E-73-8, Dec. 27, 1972; amended Jan. 1, 1974.)

***** Authenticated Kansas Administrative Regulation *****